Section 1 - Identification

Product Name: Deck Wash (41610)

GCE Inc. 1580 Beaver Ruin Road Norcross, GA 30093 770-921-0397

Emergency Phone: 800-535-5053

Product Use: Wood Surface Cleaner

Section 2 - Hazards Id	lentification			
GHS Ratings:				
Skin corrosive	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal		
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5		
GHS Hazards				
H314	Causes severe	Causes severe skin burns and eye damage		
H318	Causes serious eye damage			
GHS Precautions				
P260	Do not breathe	e dust/fume/gas/mist/vapours/spray		
P264	Wash hands thoroughly after handling			
P280	Wear protectiv	e gloves/protective clothing/eye protection/face protection		
P310	Immediately call a POISON CENTER or doctor/physician if you feel unwell after exposure of this product			
P321	Specific treatment (see First Aid below or label)			
P363	Wash contami	Wash contaminated clothing before reuse		
P301+P330+P331	IF SWALLOWED: Call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting			
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower			
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing			
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing			
P405	Store locked u	• •		
P501	Dispose of contents/container in conformance with State, Local, and Federal regulations.			

Signal Word: Danger



Section 3 - Composition, Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Ethanedioic acid	6153-56-6	5.00% - 10.00%
2-hydroxy - 1,2,3,tricarboxylic acid	77-92-9	1.00% - 5.00%
Secondary Alkyl, Aryl Sulfonic Acid	85536-14-7	1.00% - 5.00%
Nonylphenol, ethoxylated	127087-87-0-9	1.00% - 5.00%
2-Amino-ethanol	141-43-5	1.00% - 5.00%
Ethoxylated alcohol phosphate	154518-39-5	1.00% - 5.00%

Section 4 - First Aid Measures

After inhalation:

Take affected persons into fresh air and keep quiet. Supply fresh air. Call a doctor immediately

After eye contact: Rinse opened eye for several minutes under running water. Call a doctor immediately. After skin contact: Immediately wash with water and soap and rinse thoroughly. Call a doctor immediately. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. NOTE: Never give an unconscious person anything to drink.

Information for doctor:

Most important symptoms and effects, both acute and delayed: Causes severe skin burns and eye damage. Gastric or intestinal disorders · Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

UEL:

Section 5 - Fire Fighting Measures

Flash Point: 94 C (201 F) LEL:

The product is not flammable

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

 \cdot For safety reasons unsuitable extinguishing agents: Water with full jet

Hazardous Decomposition:

Phosphorous Oxides

Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information Cool endangered receptacles with water spray. Use fire extinguishing methods suitable to surrounding conditions.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Mount respiratory protective device.

Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. **Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material. Use neutralizing agent.Dispose contaminated material as waste according to Section13. Ensure adequate ventilation.

Section 7 - Handling & Storage

Precautions for safe handling: Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. When diluting always pour product into water and not vice versa.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities: Store only in the original receptacle. Use polyolefine

receptacles. Provide acid-resistant floor.

Suitable material for receptacles and pipes: Stainless steel.

Information about storage in one common storage facility: Store away from reducing agents. Store away from metals. Do not store together with alkalis (caustic solutions). Do not store together with organic materials. **Further information about storage conditions:** Keep container tightly sealed.

Section 8 - Exposure Controls/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Ethanedioic acid 6153-56-6	TWA 1 mg/m3	TWA: 1mg/m3 STEL: 2mg/m3	Not Established
2-hydroxy - 1,2,3,tricarboxylic acid 77-92-9	15 mg/m3 TWA	10 mg/m3	Not Established
Secondary Alkyl, Aryl Sulfonic Acid 85536-14-7	Not Established	Not Established	Not Established
Nonylphenol, ethoxylated 127087-87-0-9	Not Established	Not Established	Not Established
2-Amino-ethanol 141-43-5	TWA:3ppm STEL:6ppm	TWA: 3ppm STEL: 6ppm	Not Established
Ethoxylated alcohol phosphate 154518-39-5	Not Established	Not Established	Not Established

General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Limitation and supervision of exposure into the environment: Avoid discharging of Hydrochloric / Phosphoric acid solutions into municipal wastewater, surface water or soils, when such discharges are expected to cause significant pH changes.

Risk management measures: Regular control of the pH value previous to or during discharges into open waters is required. Discharges should be carried out as to minimize pH changes in receiving surface waters. In general most aquatic organisms can tolerate pH values in the range of 6-9.

Eye protection: Tightly sealed goggles

Body protection: Acid resistant protective clothing, Boots

Protection of hands: Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Natural rubber, NR Chloroprene rubber, CR Neoprene gloves

Penetration time of glove material: The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not suitable are gloves made of the following materials: Leather gloves

Section 9 - Physical & Chemical Properties

Boiling Range 101 to 170 °C	
Color Colorless	
Specific Gravity 1.04	
Freezing Point 30F	

Appearance Clear Liquid

рН <З

Odor Characteristic

Boiling Range 212F

Section 10 - Stability & Reactivity

STABLE

INCOMPATABILITIES:

None Known

Avoid contact with oxidizing agents (e.g. nitric acid, peroxides and chromates). Inorganic acids and bases.

Strong oxidizing agents, Strong bases

Include potassium tartrate, alkali and alkaline earth carbonates and bicarbonates, acetates, sulfites, and metal nitrates (potentially explosive reaction). Citric acid corrodes copper, zinc, aluminum and their alloys.

Incompatible with alkalis. Incompatible with strong oxidising agents. Incompatible with most metals in the presence of moisture.

DECOMPOSITION:

None Known Carbon Monoxide and other toxic vapors This product may yield sulfur dioxide and oxides of sulfur.

Thermal oxidative decomposition of citric acid can produce acrid, irritating smoke and carbon monoxide, carbon dioxide.

Thermal decomposition will produce organic acids, oxides of carbon and formic acid.

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Mixture Toxicity Component Toxicit

mponent Toxicity	
6153-56-6	Ethanedioic acid
	Oral LD50: 475 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rabbit)
127087-87-0-9	Nonylphenol, ethoxylated
	Oral LD50: 3,314 mg/kg (Rat) Dermal LD50: 3,050 mg/kg (Rabbit)
141-43-5	2-Amino-ethanol
	Oral LD50: 1,089 mg/kg (RAT) Dermal LD50: 2,693 mg/kg (RABBIT)

Contine 12 Feels signal Information	
None N/A	
CAS NumberDescription% WeightCarcinogen Ra	<u>ting</u>

Section 12 - Ecological Information

Do not discharge into waterways. The strong lowering of pH can destroy organisms.

Component Ecotoxicity

2-Amino-ethanol

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 227 mg/l - 96 h

Section 13 - Disposal Considerations

Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with

Local Authority requirements.

Uncleaned packaging Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made in accordance with Local Authority requirements.

UN Number

Packing Group

Recommended cleansing agents: Water, if necessary together with cleansing agents.

Section 14 - Transportation Information

Agency Proper Shipping Name DOT COMPOUNDS,CLEANING LIQUID (not regulated by DOT / IMO)


Section 15 - Regulatory Information

OSHA Hazard Communication Standard Classification

- None

- None

Section 16 - Other Information



The information and recommendations contained herein is believed to be reliable. However, the manufacturer does not guarantee their accuracy or completeness nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage maybe required. The manufacturer assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

Reviewer Revision

Hazard Class

Date Prepared: 5/24/2018