

**Section 1 - Identification**

Product Name: Face Off 21 - Component 1 (62021-1)

GCE Inc.  
1580 Beaver Ruin Road  
Norcross, GA 30093  
770-921-0397

**Emergency Phone: 800-535-5053**

Product Use: Graffiti paint removal

**Section 2 - Hazards Identification****GHS Ratings:**

|                |   |   |
|----------------|---|---|
| Skin corrosive | 2 | Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation                  |
| Eye corrosive  | 1 | Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity $\geq 3$ , Iritis $> 1.5$ |

**GHS Hazards**

|      |                           |
|------|---------------------------|
| H315 | Causes skin irritation    |
| H318 | Causes serious eye damage |

**GHS Precautions**

|                |   |
|----------------|---|
| P264           | Wash hands thoroughly after handling  |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection   |
| P310           | Immediately call a POISON CENTER or doctor/physician if you feel unwell after exposure of this product                            |
| P321           | Specific treatment (see First Aid below or label)   |
| P362           | Take off contaminated clothing and wash before reuse  |
| P302+P352      | IF ON SKIN: Wash with soap and water  |
| P305+P351+P338 | IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing |
| P332+P313      | If skin irritation occurs: Get medical advice/attention   |

**Signal Word: Danger****Section 3 - Composition, Information on Ingredients**

| Chemical Name                   | CAS number | Weight Concentration % |
|---------------------------------|------------|------------------------|
| Proprietary Surfactants         | 68439-46-3 | 10.00% - 20.00%        |
| 2-butoxyethanol                 | 111-76-2   | 10.00% - 20.00%        |
| Xylenesulfonic acid sodium salt | 1300-72-7  | 5.00% - 10.00%         |

|                                     |                |               |
|-------------------------------------|----------------|---------------|
| Nonylphenol, ethoxylated            | 127087-87-0-12 | 1.00% - 5.00% |
| Dipropylene Glycol Monomethyl Ether | 34590-94-8     | 1.00% - 5.00% |

## Section 4 - First Aid Measures

### After inhalation:

Take affected persons into fresh air and keep quiet. Supply fresh air. Call a doctor immediately

**After eye contact:** Rinse opened eye for several minutes under running water. Call a doctor immediately.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly. Call a doctor immediately.

**After swallowing:** Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. NOTE: Never give an unconscious person anything to drink.

Information for doctor:

**Most important symptoms and effects, both acute and delayed:** Causes severe skin burns and eye damage.

Gastric or intestinal disorders · Indication of any immediate medical attention and special treatment needed Medical supervision for at least 48 hours.

## Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL: 1.00

UEL: 11.00

The product is not flammable

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet

Hazardous Decomposition:

None Known

**Advice for firefighters Protective equipment:** Wear self-contained respiratory protective device.

Wear fully protective suit. Additional information Cool endangered receptacles with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

## Section 6 - Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures:** Wear protective equipment. Keep unprotected persons away. Mount respiratory protective device.

**Environmental precautions:** Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material.

Use neutralizing agent. Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation.

## Section 7 - Handling & Storage

**Precautions for safe handling:** Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. When diluting always pour product into water and not vice versa.

**Information about fire - and explosion protection:** No special measures required.

**Conditions for safe storage, including any incompatibilities:** Store only in the original receptacle. Use polyolefine receptacles. Provide acid-resistant floor.

**Suitable material for receptacles and pipes:** Stainless steel.

**Information about storage in one common storage facility:** Store away from reducing agents. Store away from metals. Do not store together with alkalis (caustic solutions). Do not store together with organic materials.

**Further information about storage conditions:** Keep container tightly sealed.

## Section 8 - Exposure Controls/Personal Protection

| Chemical Name / CAS No. | OSHA Exposure Limits | ACGIH Exposure Limits | Other Exposure Limits |
|-------------------------|----------------------|-----------------------|-----------------------|
|-------------------------|----------------------|-----------------------|-----------------------|

|  |   |                             |                 |
|--|---|-----------------------------|-----------------|
| Proprietary Surfactants<br>68439-46-3                | Not Established   | Not Established             | Not Established |
| 2-butoxyethanol<br>111-76-2                          | OSHA Z-1 TWA:240 mg/m3<br>OSHA Z-1 TWA Absorbed via<br>Skin | TWA 20ppm<br>PE: 50 ppm     | Not Established |
| Xylenesulfonic acid sodium<br>salt<br>1300-72-7      | Not Established   | Not Established             | Not Established |
| Nonylphenol, ethoxylated<br>127087-87-0-12           | Not Established   | Not Established             | Not Established |
| Dipropylene Glycol<br>Monomethyl Ether<br>34590-94-8 | TWA 100 ppm   | TWA 100 ppm<br>STEL 150 ppm | Not Established |

**General protective and hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals. Do not eat or drink while working. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

**Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**Limitation and supervision of exposure into the environment:** Avoid discharging of Hydrochloric / Phosphoric acid solutions into municipal wastewater, surface water or soils, when such discharges are expected to cause significant pH changes.

**Risk management measures:** Regular control of the pH value previous to or during discharges into open waters is required. Discharges should be carried out as to minimize pH changes in receiving surface waters. In general most aquatic organisms can tolerate pH values in the range of 6-9.

**Eye protection:** Tightly sealed goggles

**Body protection:** Acid resistant protective clothing, Boots

**Protection of hands:** Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Natural rubber, NR Chloroprene rubber, CR Neoprene gloves

**Penetration time of glove material:** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Not suitable are gloves made of the following materials:** Leather gloves

## Section 9 - Physical & Chemical Properties

|                     |                        |
|---------------------|------------------------|
| Odor Characteristic | pH 2.8                 |
| Color Orange        | Specific Gravity 8.761 |

## Section 10 - Stability & Reactivity

STABLE

### INCOMPATIBILITIES:

Strong Oxidizing agents, Strong Acids

None Known

Extended contact with air or oxygen. The potential for peroxide formation is enhanced when this solvent is used in processes such as distillation. Heat, sparks, open flame, other ignition sources, and oxidizing conditions.

Ignition may occur at temperatures below those published in the literature as autoignition or ignition temperatures.

### DECOMPOSITION:

None Known

Carbon Monoxide and other toxic vapors

Air or oxygen. Moisture and humidity. Strong oxidizing agents. May react with oxygen to form peroxides.

Hazardous decomposition products: Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Aldehydes . Ketones.

Organic acids.

Hazardous polymerization will occur.

## Section 11 - Toxicological Information

### Mixture Toxicity

Oral Toxicity LD50: 4.901mg/kg

CAS Number

None

Description

% Weight

Carcinogen Rating

N/A

## Section 12 - Ecological Information

Do not discharge into waterways. The strong lowering of pH can destroy organisms.

### Component Ecotoxicity

## Section 13 - Disposal Considerations

### Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

### Uncleaned packaging Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning . Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made in accordance with Local Authority requirements.

**Recommended cleansing agents:** Water, if necessary together with cleansing agents .

## Section 14 - Transportation Information

Agency

DOT

Proper Shipping Name

Not Regulated

UN Number

Packing Group

Hazard Class

## Section 15 - Regulatory Information

Country

Regulation

All Components Listed


## Section 16 - Other Information

Hazardous Material Information System (HMIS)

National Fire Protection Association (NFPA)

|                     |   |
|---------------------|---|
| HEALTH              | 2 |
| FLAMMABILITY        | 0 |
| PHYSICAL HAZARD     | 2 |
| PERSONAL PROTECTION | C |

**HMIS & NFPA Hazard Rating**  
**Legend**  
 \* = Chronic Health Hazard  
 0 = INSIGNIFICANT  
 1 = SLIGHT  
 2 = MODERATE  
 3 = HIGH



The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

Date revised: 2021-04-02

Reviewer Revision

Date Prepared: 4/7/2021